

# 非洲爵床科—新组合——短穗观音草

邓云飞<sup>1\*</sup>, 郝振萍<sup>2</sup>

(1. 中国科学院华南植物园, 中国科学院植物资源保护与可持续利用重点实验室, 广州 510650; 2. 金陵科技学院园艺学院, 南京 210038)

**摘要:** 提出一新组合——短穗观音草(*Peristrophe brevispicata* (I. Darbysh.) Y. F. Deng et Z. P. Hao)。

**关键词:** 爵床科; 非洲; 狗肝菜属; 观音草属

**中图分类号:** Q949.778.6      **文献标识码:** A

**文章编号:** 1005-3395(2011)04-0327-01

doi: 10.3969/j.issn.1005-3395.2011.04.007

## *Peristrophe brevispicata*, A New Combination in African Acanthaceae

DENG Yun-fei<sup>1\*</sup>, HAO Zhen-ping<sup>2</sup>

(1. Key Laboratory of Plant Resources Conservation and Sustainable Utilization, South China Botanical Garden, Chinese Academy of Sciences, Guangzhou 510650, China; 2. College of Horticulture, Jinling Institute of Technology, Nanjing 210038, China)

**Abstract:** A new combination, *Peristrophe brevispicata* (I. Darbysh.) Y. F. Deng et Z. P. Hao, is proposed.

**Key words:** Acanthaceae; Africa; *Dicliptera*; *Peristrophe*

*Peristrophe* Nees is a genus of Acanthaceae consisting of 25–40 species and distributed in tropical and subtropical regions of the Old World. It differs from the closely related genus *Dicliptera* Juss. by the mechanism of capsule dehiscence, which are non-elastic in *Peristrophe* but elastic in *Dicliptera*<sup>[1-3]</sup>. Darbyshire & Vollesen<sup>[4]</sup> merged *Peristrophe* with *Dicliptera* and transferred eastern African *Peristrophe* species to *Dicliptera*. But recent molecular analysis does not support this view and indicated that *Peristrophe* is more closely related to *Hypoesthes* than *Dicliptera*<sup>[5]</sup>. The recently described African species *Dicliptera brevispicata* I. Darbysh. possesses the non-elastic capsules and should be transferred to *Peristrophe*<sup>[4]</sup>. Therefore, a new combination, *Peristrophe brevispicata* (I. Darbysh.) Y. F. Deng et Z. P. Hao, is proposed herein.

***Peristrophe brevispicata* (I. Darbysh.) Y. F. Deng et Z. P. Hao, comb. nov.** Basionym: *Dicliptera brevispicata* I. Darbysh., Kew Bull. 62: 123. 2003.

Type: Tanzania, Goyder, Griffith, Harvey, Kamwela & Paton 3798 (holotype, K; isotype, MO!).

**Distribution.** Tanzania and Zambia.

**Acknowledgements** The first author would like to thank the Flora of China project for providing the financial support to visit the herbarium of the Missouri Botanical Garden (MO!).

## References

- [1] Nees Von Esenbeck C G. Acanthaceae [M]// Wallich N. Plantæ Asiaticæ Rariores. London: Treuttel, Wurtz, Richter, 1832, 3: 77–112.
- [2] Hu C C. *Peristrophe* and *Dicliptera* [M]// Hu C C. Flora Reipublicæ Popularis Sinicæ Tomus 70. Beijing: Science Press, 2002: 240–248.(in Chinese)
- [3] Wu C Y, Lu A M, Tang Y C, et al. The Families and Genera of Angiosperms in China [M]. Beijing: Science Press, 2003: 1–1210.(in Chinese)
- [4] Darbyshire I, Vollesen K. The transfer of the genus *Peristrophe* to *Dicliptera* (Acanthaceae), with a new species described from eastern Africa [J]. Kew Bull, 2007, 62: 119–128.
- [5] McDade L A, Daniel T F, Masta S E, et al. Phylogenetic relationships within the tribe Justiceæ (Acanthaceæ): Evidence from molecular sequences, morphology, and cytology [J]. Ann Missouri Bot Gard, 2000, 87: 435–458.

**Received:** 2011-04-11      **Accepted:** 2011-04-29

Supported by the National Natural Science Foundation of China (30870152), the Knowledge Innovation Program of the Chinese Academy of Sciences (KSCX2-YW-Z-021)

\* Corresponding author, email: yfdeng@scbg.ac.cn